



PLACING BOOMS

CIFA Classic concrete placing boom provides professional solutions for high buildings and large-scale constructions.


DATA SHEET

CLASSIC



PB29A-3RC

Vertical reach	29 m
Horizontal reach	29 m
Depth of reach	22.2 m
Free standing height	24 m
Arms	3
Folding system	R
Arms angle	90°-180°-180°
Rotation range	365°



PB29D-3RC

Vertical reach	29 m
Horizontal reach	29 m
Depth of reach	22.2 m
Free standing height	24 m
Arms	3
Folding system	R
Arms angle	90°-180°-180°
Rotation range	365°




PB33A-4ZC

Vertical reach	33 m
Horizontal reach	33 m
Depth of reach	26.9 m
Free standing height	24 m
Arms	4
Folding system	Z
Arms angle	180°-180°-180°
Rotation range	365°



PB33D-3RC

Vertical reach	33 m
Horizontal reach	33 m
Depth of reach	26.9 m
Free standing height	24 m
Arms	4
Folding system	R
Arms angle	180°-180°-180°
Rotation range	365°



Discover more at www.cifa.com

Distributor



ZOOMLION
NORTH AMERICA

14215 Two Mile Road,
Yorkville, WI 53126
Tel. +1 (262)-835-1828

sales@zoomlion-na.com
www.zoomlion-na.com

